



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

§ 105. *Hieracium aurantiacum*, L.—This native of elevated regions in Central Europe, was noticed by Mr. G. M. Wilber, at New Dorp, Staten Island, in 1875, and by Mr. N. L. Britton near the same place in 1877, as recorded in the *BULLETIN*, Vol. vi, pp. 56, 178.

On the 26th of August, this year, I found this plant growing abundantly and wide-spread over a stony hillside pasture near the Parker Notch, about two miles north of Tannersville, in the Catskills of Greene Co., N. Y., at an elevation of about 2,500 feet. It seems likely to become a permanent resident, for its prolific runners enable it to increase with rapidity, and the farmers there are already complaining of it as a troublesome, bitter weed. At the above date the plants were just coming into flower, the scapes being only 3 to 6 inches in height. A week or two later would find them in full maturity and of the size of European specimens.*

Philadelphia, Sept. 6, 1881.

JOHN H. REDFIELD.

§ 106. *Ilex opaca* with entire Leaves.—We take the liberty of publishing the following note from Dr. Mellichamp. We had not known before of the tendency of the American holly to produce its upper leaves without spines and sinuosities, although we find on reference to Withering's Botany that such a thing occasionally occurs in *Ilex Aquifolium*, the English holly. We remember reading in boyhood, in the *Penny Magazine*, a poem of Southey's, entitled "The Holly Tree," where this peculiarity is noted and thus pleasantly moralized :

Below, a circling fence, its leaves are seen
 Wrinkled and keen ;
 No grazing cattle through their prickly round
 Can reach to wound ;
 But as they grow where nothing is to fear,
 Smooth and unarm'd the pointless leaves appear.

Thus, though abroad perchance I might appear
 Harsh and austere,
 To those who on my leisure would intrude
 Reserved and rude,
 Gentle at home amid my friends I'd be,
 Like the high leaves upon the holly tree.

And should my youth, as youth is apt, I know,
 Some harshness show,
 All vain asperities I day by day
 Would wear away,
 Till the smooth temper of my age should be
 Like the high leaves upon the holly tree.

The high leaves upon our holly, however, it will be noticed, are

* Since writing the above, Mr. Meehan informs me that various correspondents in New England have sent him this species under the belief of its being indigenous. He also tells me that Miss Cope, of Germantown, also found it this season in the Catskills, whether at the same locality I cannot say. J. H. R.